

Certificate of Analysis

DAILY VITAMUSH EXTRACT; Lot #: 246143-2

DAILY VITAMUSH EXTRACT; Batch #: 17475

Manufacture Date: 01/20/2025

Expiration Date: 01/20/2029

Test	Specification	Test Result	Method	Result Date
<u>MICRO</u>				
TOTAL PLATE COUNT	< 100000 CFU/g	186 CFU/g	SOP_6_503_A	2025-01-27
YEAST & MOLD	< 1000 CFU/g	27 CFU/g	SOP_6_503_A	2025-01-27
S. AUREUS	Equal to absent	absent	SOP_6_503_A	2025-01-27
SALMONELLA	Equal to absent	absent	SOP_6_503_A	2025-01-27
E. COLI	Equal to absent	absent	SOP_6_503_A	2025-01-27
<u>Heavy Metals</u>				
ARSENIC	< 2 ppm	0.254 ppm	SOP_6_602_B	2025-01-27
CADMIUM	< 2 ppm	0.0152 ppm	SOP_6_602_B	2025-01-27
LEAD	< 2 ppm	<0.0200 ppm	SOP_6_602_B	2025-01-27
MERCURY	< 2 ppm	<0.0200 ppm	SOP_6_602_B	2025-01-27
<u>Active Compounds</u>				
BETA-GLUCAN	>=20.0 g/100g	29.7 g/100g	SOP_6_601_B	2025-01-29
References				

SOP_6_503_A Modified from USP <2021>/<2022> and validated on 2018-12-21.

Unless reported on this Certificate of Analysis, suitability testing is not performed.

SOP_6_602_B: ICP-MS based on USP <232>/<233>, modified from EP 2.4.27.

SOP_6_601_B Modified from Megazyme K-BGLU (AOAC 995.16 / ICC 166) and validated on 2024-12-22.